begin the installation. Improper installation will void the warranty.

and will keep its great look for years. Please read all the instructions and follow all recommendations before you

Thank you for choosing our flooring. When properly installed and cared for, your new flooring will be easy to maintain

Check-off each Item	Item	Standard	Why it is critical
	Subfloor flatness	Subfloor must be flat within 3/16" / 5 mm over a 10' / 3 m radius.	A non-flat subfloor can cause gapping, buckling, and damage to the locking system.
	Subfloor moisture	ASTM F2170 RH 80% ASTM F1869 8 lb/1000 ft ² / 3.63 kg/92 m ² CM 2.5%	Subfloor moisture can cause site-related issues which might lead to an installation failure, alkali salt buildup damage to joints, and a potential mold source. 6 mil / 0.15 mm poly sheeting is required on concrete
			substrates.
	Subfloor deflection	Subfloor must be structurally sound with no up-and-down movement.	Subfloor deflection will cause gapping and joint damage to the locking mechanism.
	Approved substrate	No soft substrates.	Additional soft underlayment is not to be used and will void the warranty. Cushioned vinyl, floating floors, and carpets are not suitable substrates. Vinyl flooring should never be installed over wood that is installed over concrete doing so will void the warranty.
	Inspect planks	Inspect planks to be installed closely for visible damage.	Prior to installation, inspect the material in daylight for visible faults/damage, including defects or discrepancies in color or shine; check the edges of the flooring for straightness and any damage. No claims on surface defects will be accepted after installation.
	Maintain appropriate expansion space	Floating floors must be free to move.	Improper expansion can cause cupping, gapping, and damage to the locking system.

• It is preferable to lay boards following the direction of the main source of light. For the best result, make sure to always work from 2 to 3 cartons at a time, mixing the planks during the installation. • Check if subfloor/site conditions comply with the specifications described in these instructions. If the subfloor is not

- porting these products. Store, transport and handle the cartons in a manner to prevent any damage. Store cartons flat, never on edge. • Flooring products can be heavy and bulky. Always use proper lifting techniques when handling these products.
- you can safely handle; get assistance.
- The environment where the flooring is to be installed is critically important with regard to successful installation and continued performance of the flooring products. The flooring is intended to be installed in interior locations only.
- In most cases, this product does not need to be acclimated. However, if the boxes of flooring were exposed for over 2 hours to extreme temperatures under 50°F / 10°C or over 90°F / 32°C within 12 hours before the installation, acclimation is required. In this case, keep the boards at room temperature for at least 12 hours in an unopened package before you start the installation. The room temperature must be maintained consistently between 50-90°F /
- II. SUBFLOOR INFORMATION

• After installation, make sure that the flooring is not exposed to temperatures less than 0°F / -18°C or greater than

• The substrate should not slope more than 1" / 25 mm per 6 ft / 2 m in any direction. Depressions, deep grooves, expansion joints, and other subfloor imperfections must be filled with patching &

surface is structurally sound, clean, dry, and smooth. Subfloor variations should not exceed 3/16" / 5 mm in a 10' / 3

ing and expansion of the new flooring. Although this floor is waterproof, it is not to be used as a moisture barrier. • This product is also not to be installed in areas that have a risk of flooding such as saunas or outdoor areas.

seasonal porches, camping trailers, boats, RVs, lanais, rooms that are prone to flooding, or rooms or homes that are not temperature-controlled.

or squeaks before you begin the installation.

140°F / 60°C.

ment and soft substrates will diminish the product's inherent strength in the clicking mechanism and resisting indentations and could void the warranty. • Acceptable job site conditions, including subfloor moisture conditions, must be maintained throughout the lifetime

Existing sheet vinyl floors must not be cushioned and not exceed more than one layer in thickness. Soft underlay-

 Wood subfloors must have no more than 12% MC (moisture content). Basements and crawl spaces must be dry. Use of a 6 mil / 0.15 mm poly-film is required to cover 100% of the crawl space earth. • We recommend laying the flooring crossways to the existing floorboards.

• All other subfloors - plywood, OSB, particleboard, chipboard, wafer board, etc. must be structurally sound and

• If this flooring is intended to be installed over an existing wood floor, it is recommended to repair any loose boards

CONCRETE SUBFLOORS

Existing concrete subfloors must be fully cured, at least 60 days old, smooth, permanently dry, clean, and free of

all foreign material such as dust, wax, solvents, paint, grease, oils, and old adhesive residue.

Max. 2.5% moisture content (CM method / ASTM F2659).

Floating floor of any type, loose lay, and perimeter fastened sheet vinyl.

• The subfloor must be dry. With a pH limit of 9 and comply with moisture content requirements and tested as per Concrete moisture vapor emissions must not exceed 8 lb / 3.63 kg MVER (moisture vapor emission rate) per

concrete.

90% RH (ASTM F2170).

MORE SUSCEPTIBLE TO INDENTATION.

Existing cushion-backed vinyl flooring.

Max. 4.0 MC as per ASTM F2659 (a meter calibrated for concrete and qualified by gravimetric testing must A minimum of 6 mil / 0.15 mm poly-film is required as a moisture barrier between the concrete subfloor and the

1000 ft² / 93 m² per 24 hours. This can be measured with the calcium chloride test (ASTM F1869).

DO NOT INSTALL OVER Any type of carpet.

Hardwood flooring / wood subfloors that lay directly on concrete or over dimensional lumber or plywood used over

• Turn the heat off for 24 hours before, during, and 24 hours after installation when installing over radiant heated subfloors. Before installing over newly constructed radiant heat systems, operate the system at maximum capacity to force any residual moisture from the cementitious topping of the radiant heat system. • Make sure that the temperature in the room is maintained consistently between 50-90°F / 10-32°C before and during the installation. · Once the installation is completed, the heating system should be turned on at the ambient temperature and gradu-

length of the hall.

8

installation.

the entire work area to remove all dust and debris.

III. INSTALLATION Remove trim molding, wall base, appliances, and furniture from the room. For the best results, door jambs must

be undercut to allow the flooring to move freely without being pinched. After preparation work, sweep and vacuum

With a floating floor you must always ensure you leave a 1/4" / 6 mm gap between walls and fixtures such as

• NOTE: DO NOT FILL IN THE EXPANSION GAPS WITH SILICONE. FOR INSTALLATION IN BATHROOMS

• Whenever possible, plan the layout so that the joints in the planks do not fall on top of joints or seams in the existing substrate. The end joints of the planks should be staggered a minimum of 8" / 20 cm apart. Do not install over the expansion joints. Avoid installing pieces shorter than 12" / 30 cm at the beginning or end of rows.

Do not install your kitchen cabinets directly over your floor. Built-in cabinets, kitchen cabinets, islands, and similar

pillars, stairs, etc. These gaps will be covered with trim moldings after the floor is installed.

AND OTHER WET ROOMS, SEE THE "INSTALLATION IN WET AREAS" SECTION.

heavy items must be installed first. Only then can the flooring be installed, leaving an appropriate expansion gap around it. This gap will be covered with trim moldings after the floor is installed. The quality of the floor can only be guaranteed if it is allowed to move freely. It must not be nailed, adhered, or fastened to the subfloor in any way. • Decide the installation direction. It is recommended to install the boards perpendicular to the window following the direction of the main source of light. Measure the area to be installed: The board width of the last row shall not be less than 2" / 50 mm. If so, adjust

the width of the first row to be installed. In narrow hallways, it is recommended to install the floor parallel to the

• UNDERLAY: If the floor DOES NOT HAVE a pre-attached underlayment, an additional underlayment is recommended in order to improve acoustic performance and absorb some irregularities on the substrate. Best results can be expected with an underlayment of 0.04" / 1 mm maximum thickness with a high density (>8.4 lb/ft³ / >135 kg/m³),

supporting board

1. **Supporting boards**: After thoroughly cleaning the subfloor, place supporting boards by the wall. You should place one supporting board per each short seam of the first row. Supporting boards will be removed in further

2. First row, first plank: You should begin laying from left to right. Position the first plank so that the grooved edge is facing you. Place the floorboard 1/4" / 6 mm from the left wall. Use spacers between the wall and the floorboard.

Position of the planks: Correct

Position of the

Position of the mallet: Incorrect

6. **Second row, first plank**: Start the second row with the leftover cut part of the last plank of the previous row. This small plank should measure at least 12" / 30 cm. Otherwise, cut a new plank in half and use it to begin the second row. The end joints of each adjoining row should not be closer than 8" / 20 cm to each other. Whenever

7. Second row, second plank: Click the long side of the plank into the previous row and place it tight to the short end of the previous plank with an angle of 25-30°. Drop the plank and gently tap on the end with a rubber mallet so it firmly locks into the previous plank until both are at the same height. Make sure both planks are perfectly aligned.

8. After finishing the installation of every row: Use a tapping block and a small hammer or rubber mallet to gently tap the planks into the click of the previous row to make sure they are tightly clicked together and make sure there is no gap between the long side of the planks installed. Any gapping can compromise the whole installation.

9. After completing the installation of the third row: Remove the supporting boards and slide the connected panels toward the wall. Make sure to place spacers between the flooring and walls. After the first 3 rows of planks are installed, they should be checked with a string line to ensure that rows are still running straight. If they are not, it could be that the starting wall has some irregularities that caused bowing in the installation. If so, the starting row of planks may have to be scribed and re-trimmed to account for any unevenness in the wall. This can be done without

practical, use the piece cut from the preceding row to start the next row.

having to disassemble the beginning rows.

figure. Then slide the floorboard under the molding.

INSTALLATION IN WET AREAS

drains, e.g., pool or shower areas.

IV. FINISHING THE INSTALLATION

planks and the adjoining surface.

- 10. To lay the last row: Position a loose board exactly on top of the last row laid. Place another board on top, with the tongue side touching the wall. Draw a line along the edge of this board, to mark the first board. Cut along the edge of this board to mark the first board. Cut along this line to obtain the required width. Insert this cut board
- Use a T-molding to separate the wet area from the rest of the installation. • Fill the expansion spaces with a compressible PE foam backer rod and cover them with a flexible 100% silicone sealant around the entire perimeter of the installation before installing moldings. Branded and generic silicone tubes are available at any local home center or hardware store. IMPORTANT: Do not use acrylic sealant. Apply silicone sealant to connections to doorframes or any other fixed objects.
 - V. MAINTENANCE When possible, use appropriate window coverings, such as drapes, window treatments, or UV-tinting on windows, to protect the product from direct sunlight as long-term exposure to intense heat.
- suitable soft pad, and do not hold a steam mop on one spot for an extended period of time (longer than 30 seconds). Refer to the mop's manufacturer instructions for proper usage. • Use proper floor protection devices such as felt protectors under furniture. Equip wheeled-type office chairs and other rolling furniture with wide-surface, casters at least 2" / 5 cm in diameter. • Place a walk-off mat at outside entrances to reduce the amount of dirt brought into your home. Do not use mats

• The use of residential steam mops and spray mops on this product is allowed. Use at the lowest power with a

- cals directly on the floor. • Do not drag or slide heavy objects across the floor.
- - VI. DISASSEMBLING



Separate the whole row by lifting it up delicately at an To separate the planks, leave them flat on the ground

with latex or rubber backing since these backings can cause permanent discoloration. • Do not use abrasive cleaners, bleach, or wax to maintain the floor. For stubborn spills use low odor mineral spirits or denatured alcohol applied to a clean cloth. Never pour chemi-

- moisture barrier, square, transition moldings, jamb saw, chalk line, eye protection, level, knee pads (optional), broom or vacuum. • Prior to installation, inspect the material in daylight for visible faults/damage, including defects or discrepancies in
- color or shine; check the edges of the flooring for straightness and any damage. No claims on surface defects will be
- within specifications, DO NOT INSTALL, and contact your supplier. • Flooring products can be damaged by rough handling before installation. Exercise care when handling and trans-
- Whenever possible, make use of material-handling equipment such as dollies or material carts. Never lift more than Calculate the room surface prior to installation and plan an extra 5-10% of flooring for cutting allowance.
- These interior locations must meet climatic and structural requirements as well.
- 10-32°C before and during the installation. • The flooring should only be installed in temperature ranges between 50-90°F / 10-32°C, it is necessary to maintain a constant temperature before and during the installation. Portable heaters are not recommended as they may not heat the room and subfloor sufficiently. Kerosene heaters should never be used.
- For floor surfaces exceeding 6400 ft² / 620 m² and/or lengths exceeding 80 ft / 25 m, use expansion moldings. The flooring can be installed over most existing hard surface floor coverings, provided that the existing floor
- leveling compound. Substrates must be free from excessive moisture or alkali. Remove dirt, paint, varnish, wax, oils, solvents, and any foreign matter and contaminants. Do not use products containing petroleum, solvents, or citrus oils to prepare substrates as they can cause stain-
- of the flooring. **WOOD SUBFLOORS**
- must be installed following their manufacturer's recommendations. DO NOT install over sleeper construction subfloors or wood subfloors applied directly over concrete.
- flooring. NOTE: THE RESPONSIBILITY OF DETERMINING IF THE EXISTING FLOORING IS SUITABLE TO BE INSTALLED OVER RESTS SOLELY WITH THE INSTALLER/FLOORING CONTRACTOR ON SITE. IF THERE IS ANY DOUBT AS TO SUITABILITY, THE EXISTING FLOORING SHOULD BE REMOVED, OR AN ACCEPTABLE

UNDERLAYMENT INSTALLED OVER IT. INSTALLATIONS OVER EXISTING RESILIENT FLOORING MAY BE

- **IMPORTANT NOTICE** In-floor Radiant Heat: Flooring can be installed over 1/2" / 12 mm embedded radiant heat using the floating method. Maximum operating temperature should never exceed 85°F / 30°C. The use of an in-floor temperature sensor is recommended to avoid overheating.
- **Warning**: Electric heating mats that are not embedded into the subfloor are not recommended for use underneath the floors. Using electric heating mats that are not embedded and applied directly underneath the floors could void the warranty for your floor in case of failure. It is best to install the flooring over embedded radiant floor heating systems and adhere to the guidelines listed above. **Tip**: The best idea to maximize the results of your heating system is to have "ON" times with a comfortable temperature and "OFF" times with setback temperatures which are normally 8°F / 4°C lower than your comfort temperature. The setback temperatures are particularly important as these won't let the temperature of your room drop too much, meaning it is much quicker to heat your room back to comfort levels when it's needed.

ally increased in 9°F / 5°C increments every 12 hours until reaching normal operating conditions. Refer to the radiant heat system's manufacturer recommendations for additional guidance.

- high compressive strength (≥200 kPa according to EN 16354, ASTM D3575-20, Suffix D), and <10% thickness change (according to ASTM D3575-20, Suffix B) that supports the click system during daily use. Thicker underlayments, underlayments with a low density and inadequate compressive strength could damage the locking mechanism and will void the warranty. If the floor HAS a pre-attached underlayment, the use of an additional underlayment could damage the locking mechanism and will VOID warranty.
- **5**
- First row, second plank: Drop the plank and gently tap down the end with a rubber mallet so it firmly locks into the previous plank until both are at the same height. Make sure both planks are perfectly aligned. It is crucial that after the short edges of two connecting planks are correctly aligned and the rubber mallet contacts the plank in the area directly above the short edge, allowing for correct locking. Note: Tapping the area close to the short edge, but not directly above it, may result in permanent damage to the joint. Continue installing the first row until you reach the wall on the right. IMPORTANT: If you notice both planks aren't at the same height or are not well-locked together, please follow the disassembling instructions at the bottom of the page, disassemble, and check if any debris stuck inside the lock is obstructing. Failure to properly line up the end joint and attempting to force it in while out of alignment could result in permanent damage to the end joint. 4. First row, last plank: At the end of the first row, leave an expansion gap of 1/4" / 6 mm to the wall and measure the length of the last plank to fit. 5. To cut the plank: Use a simple utility knife and ruler, and with the top side facing up, score heavily and several times on the same axis. The knife will not go through the surface but make a deep cut. You can then snap one half of the plank using your other hand to hold down the second placing it very close to the cut. The plank will split naturally.
- against the wall. The last row should be at least 2" / 50 mm wide. The spacers can then be removed. 11. **Holes for pipes**: Measure the diameter of the pipe and drill a hole that is 1/2" / 12 mm larger. Saw off a piece as shown in the figure and lay the board in place on the floor. Then lay the sawed-off piece in place.

12. Door molding: Lay a board (with the decorative side down) next to the door molding and saw as shown in the

IMPORTANT: This product is not warranted for installation in wet areas with running water and areas with built-in

• Protect all exposed edges of the flooring by installing wall molding and/or transition strips. Allowing slight clearance between the molding and the planks. Make sure that no plank will be secured in any way to the subfloor. • At doorways and at other areas where the flooring planks may meet other flooring surfaces, the use of a transition molding is required to cover the exposed edge but do not pinch the planks. Leave a 1/4" / 6 mm gap between the

- Sweep or vacuum daily using soft bristle attachments. Do not use a vacuum equipped with a beater bar. • Do not buff or sand the surface. Clean up spills and excessive liquids immediately. Damp mop as needed and use neutral cleaners recommended for vinvl flooring.
 - - and slide them apart. If planks do not separate easy, you can slightly lift up the planks (5°) when sliding them apart.